



Basic Specification

| | | |
|----|---|------|
| 60 | 1 x Pre-Owned ESE3 RS1100 City Sucker RSP Suction Excavator Mounted on a Mercedes-Benz Atego 1324 4x2 Euro 6 Chassis Day Cab | 1 pc |
|----|---|------|

Technical Details – Mileage and Fan/Compressor Hours correct as at 17.06.2024

| | |
|---------------------------|---------------|
| Year of Manufacture | 2014 |
| Fuel Tank Capacity | 1 x 195 litre |
| Present Mileage | 151,679 km |
| Fan Hours | 1295.05 |
| Compressor Hours | 1537.02 |

PRICING SUMMARY

| | |
|---|-------------------------|
| 1 x Pre-Owned ESE3 RS1100 City Sucker RSP Suction Excavator Mounted on a Mercedes-Benz Atego 1324 4x2 Euro 6 Chassis Cab | £57,500.00 + VAT |
|---|-------------------------|

A Suction Capacities

| | | |
|------|---|----------|
| A000 | High Performance Single Fan; Qmax = 11,300 m ³ /hr, Pmax = 14,855 Pa | Included |
|------|---|----------|

B Separation System

| | | |
|------|--|----------|
| B014 | Fine Filter Unit with automated compressed air cleaning system | Included |
| B033 | 1.1m ³ Tilting Container | Included |

C Hose Carrier

| | | |
|------|---|----------|
| C004 | Telescopic suction hose carrier (Palfinger PC1500 Crane) Range 3,100 mm, slewing range 180 degrees | Included |
| C424 | Suction hose carrier and lid transport position sensors with visual and audible warning system | 1 pc |

D Working Area

| | | |
|------|-----------------------|----------|
| D000 | 1.2 PE Suction Nozzle | Included |
|------|-----------------------|----------|

E Hydraulic System

| | | |
|------|--|------|
| E100 | Ultra fine bypass filter in the return line | 1 pc |
| E410 | External hydraulic outlet Pmax = 200 bar at 25 litres per minute | 1 pc |

F Pneumatic System

| | | |
|------|---|----------|
| F000 | Air connections on the nearside for oiled and non-oiled pressurised air | Included |
| F200 | Air Compressor Qmax = 4,5 m ³ /min; Pmax = 7 bar radio remote controlled | 1 pc |
| F400 | Stainless steel hose reel with spring return including an 8m hose, 19mm diameter | 2 pcs |



UNITED KINGDOM

| H Control System | | |
|---|---|----------|
| H000 | Entire superstructure is controlled by PLC Display including constant monitoring system showing machine data | Included |
| H020 | Remote control unit that operates superstructure functions including spare transmitter, battery and battery charger | Included |
| H240 | Remote storage inside fan housing incl. visual/audible warning in cab | 1 pc |
| I Additional Equipment | | |
| I000 | Exhaust air silencer frequency optimised for RSP Suction Excavators to reduce noise levels | Included |
| I510 | Handwash basin | 1 pc |
| K Safety Equipment / Industrial Equipment | | |
| K000 | Emergency stop button with large mushroom head | Included |
| K330 | Additional emergency stop button mushroom head | Included |
| K400 | Electrical level indicator (Ultrasonic shown in %) | 1 pc |
| K416 | Extended high lubricating points to lubricate from the ground | 1 pc |
| K436 | Safety locks for lid cylinders | 1 pc |
| K451 | Inverter 110V, 1500 W including one socket at the rear of the vehicle | 1 pc |
| K630 | 6kg dry powder hand operated fire extinguisher and protective cabinet | 1 pc |
| L Illuminating Equipment / Warning Devices | | |
| L000 | LED flashing beacon mounted at the rear of the vehicle | Included |
| L010 | LED Work lamp mounted at the rear of the vehicle | Included |
| L020 | LED Marker lights positioned on the lid | Included |
| L100 | Additional LED work lamps | 2 pcs |
| L600 | Red LED beacon with audible warning | 1 pc |
| M Design | | |
| M000 | Paintwork of Suction Superstructure in MB9147 Artic White high gloss colour | Included |
| N Equipment for loosening the ground | | |
| N800 | Additional Hand Tools: 2m Spade for cleaning container 2 Scrapers Pinch Bar Grease Gun Rubber Hammer Oil Discharge Hose | 1 pc |



UNITED KINGDOM

| O Handing over / Instruction | | |
|-------------------------------------|--|----------|
| O010 | Documentation and operator's manual to be supplied in digital format | Included |
| Q Chassis Options | | |
| Q100 | Installation of the side under-run guards | 1 pc |
| Q400 | Installation of mudguards | 1 pc |
| SON Special Requests | | |
| SON1 | I-Box (connection point only) | 1 pc |
| SON2 | Side door in container made of steel for the removal of material | 1 pc |

Terms and Conditions:

Unless otherwise explicitly stated in this Order Confirmation, the RSP UK General Terms and Conditions will apply to this order (as set out below)

Pricing:

VAT is additional at the prevailing rate on date of invoice.

Delivery:

Ex works RSP Bedford

Note that, in accordance with clause 10.1 of the RSP UK General Terms and Conditions, risk in the Goods passes to the Buyer upon delivery and the Buyer shall be responsible, amongst other things, for arranging its own all risks insurance over the Goods from the moment of delivery.

Operator Training:

Two days' fully comprehensive EUSR accredited Suction Excavator operator training at RSP UK, Bedford for two operatives during normal business hours (Monday to Friday)

Vehicle Taxation:

Shall be the responsibility of the customer.

Used Equipment

The following Goods provided under this Order Confirmation are pre-owned or similar:

1 x ESE3 RS1100 City Sucker RSP Suction Excavator

We refer you specifically to clause 6.17 of the RSP UK General Terms and Conditions in relation to our exclusion of warranties for such goods.

Payment

Full balance payable prior to collection from RSP Bedford